



xml schema address phone convert OR conve

2000

- 2004

Search

Ad  
Sct  
Sct

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 774 for **xml schema address phone convert O**

All Results

**XML Schema Part 2: Datatypes - group of 4 »**

[P Biron](#)

PV Biron, A Malhotra - W3C Recommendation, 2001 - courses.ced.tuc.gr

[S Abiteboul](#)

... same types of information: a date, telephone number, email **address** and an ... conform to the rules for valid dates or telephone numbers ... **XML Schema Part 2: Datatypes** ...

[A Malhotra](#)

Cited by 370 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[E Rahm](#)

[D Suci](#)

**XMark: A Benchmark for XML Data Management - group of 21 »**

A Schmidt, F Waas, ML Kersten, MJ Carey, I ... - Proceedings of the International Conference on Very Large ..., 2002 - doc.freeband.nl

... name, email **address**, **phone** num- ber, mail **address**, homepage URL ... In the XML world,

UDFs are of particular importance ... Due to the lack of a **schema**, SORTBY clauses ...

Cited by 203 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**Developing XML documents with guaranteed "good" properties - group of 10**

»

DW Embley, WY Mok - Conceptual Modeling-ER, 2001 - Springer

... twelve heuristics for generating the "best" XML **schema**. ... Developing XML Documents with Guaranteed "Good ... the edge connecting Name, **Address**, **Phone**, and Major ...

Cited by 33 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Next generation service creation using XML scripting languages - group of 5**

»

JL Bakker, R Jain, A Res, T Technol, NJ Morristown - Communications, 2002. ICC 2002.

IEEE International ..., 2002 - ieexplore.ieee.org

... earlier, SCML is defined using an XML **Schema** that is ... <scml> <terminating>

<**address-switch** field="terminating"> <**address** is="sip:smith@**phone**.example.com ...

Cited by 21 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Oracle8i-the XML enabled data management system - group of 8 »**

S Banerjee, V Krishnamurthy, M Krishnaprasad, R... - Data Engineering, 2000. Proceedings.

16th International ..., 2000 - ieexplore.ieee.org

... order object containing a shipping **address**, customer object ... ways: 1. Server object-relational **schema** can be ... vital, since a lot of the XML infrastructure, such ...

Cited by 68 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Interactive Migration of Legacy Databases to Net-Centric Technologies - group of 5 »**

Y Bychkov, JH Jahnke - Proceedings of the Eighth Working Conference On Reverse ..., 2001 - doi.ieeecomputersociety.org

... Yury </Name> <**Phone**> 853-6098 </**Phone**> <**Address**> <Street> Mortimer </Street> </**Address**>

</User ... wrapped using the same interchange XML **schema**, then all ...

Cited by 3 - [Related Articles](#) - [Web Search](#)

**Method and apparatus for storing semi-structured data in a structured manner - group of 3 »**

DL Draper, DB Christianson, KL Komissarchik - US Patent 6,581,062, 2003 - Google Patents  
 ... The stor-age requirements, eg, the **schema** or nature ... as first name, last name,  
**address**,  
 telephone number, and ... Scotland (1999), discusses using **XML** docu-ment ...  
[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[A Multi-Agent System to Support Exploiting an XML-based Corporate Memory - group of 2 »](#)

F Gandon, R Dieng, O Corby, A Giboin - Proceedings PAKM'00, Basel, 2000 - www-2.cs.cmu.edu  
 ... <!ATTLIST **address** country CDATA ... An RDF annotation using the **schema** : ...  
 developed for  
 CORESE [Cor00] to enable agents to handle and infer on a **XML**-based corporate ...  
[Cited by 38](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Browsing and editing XML schema documents with an interactive editor - group of 2 »](#)

M Sifer, Y Peres, Y Maarek - Proceedings of DNIS 2003, LNCS, 2003 - Springer  
 ... person } person = ?contact-info + **address** + job-info ... info = { [ home-**phone** |  
 mobile-**phone** | email ] } ... Document Type Definitions), **XML Schema**, Relax, Schematron ...  
[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[CLP \(Flex\): Constraint Logic Programming Applied to XML Processing - group of 9 »](#)

J Coelho, M Florido - On the Move to Meaningful Internet Systems, 2004 - Springer  
 ... rise to a new CLP(Flex) term and then to the new document "addressbook2.xml". This  
 last file contains the **address** records without the **phone** tag. ...  
[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



xml schema address phone convert OR conve

2000

- 2004

Search

Ad  
Sc  
Sc

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 774 for xml schema address phone convert OR

**All Results**[P Biron](#)[S Abiteboul](#)[A Malhotra](#)[E Rahm](#)[D Suci](#)**XML Schema Part 2: Datatypes - group of 4 »**

PV Biron, A Malhotra - W3C Recommendation, 2001 - courses.ced.tuc.gr

... same types of information: a date, telephone number, email **address** and an ... conform to the rules for valid dates or telephone numbers ... **XML Schema Part 2: Datatypes** ...[Cited by 370](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**XMark: A Benchmark for XML Data Management - group of 21 »**

A Schmidt, F Waas, ML Kersten, MJ Carey, I ... - Proceedings of the International Conference on Very Large ..., 2002 - doc.freeband.nl

... name, email **address**, **phone** num- ber, mail **address**, homepage URL ... In the **XML** world,UDFs are of particular importance ... Due to the lack of a **schema**, SORTBY clauses ...[Cited by 203](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**Developing XML documents with guaranteed "good" properties - group of 10**

»

DW Embley, WY Mok - Conceptual Modeling-ER, 2001 - Springer

... twelve heuristics for generating the "best" **XML schema**. ... Developing **XML Documents** with Guaranteed "Good ... the edge connecting Name, **Address**, **Phone**, and Major ...[Cited by 33](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Next generation service creation using XML scripting languages - group of 5**

»

JL Bakker, R Jain, A Res, T Technol, NJ Morristown - Communications, 2002. ICC 2002.

IEEE International ..., 2002 - ieeexplore.ieee.org

... earlier, SCML is defined using an **XML Schema** that is ... <scml> <terminating>  
<**address-switch** field="terminating"> <**address** is="sip:smith@**phone**.example.com ...[Cited by 21](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Oracle8i-the XML enabled data management system - group of 8 »**

S Banerjee, V Krishnamurthy, M Krishnaprasad, R ... - Data Engineering, 2000. Proceedings.

16th International ..., 2000 - ieeexplore.ieee.org

... order object containing a shipping **address**, customer object ... ways: 1. Server object-relational **schema** can be ... vital, since a lot of the **XML** infrastructure, such ...[Cited by 68](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Interactive Migration of Legacy Databases to Net-Centric Technologies - group of 5 »**

Y Bychkov, JH Jahnke - Proceedings of the Eighth Working Conference On Reverse ..., 2001 - doi.ieeecomputersociety.org

... Yury </Name> <**Phone**> 853-6098 </**Phone**> <**Address**> <Street> Mortimer </Street>  
</**Address**></User ... wrapped using the same interchange **XML schema**, then all ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#)**Method and apparatus for storing semi-structured data in a structured manner - group of 3 »**

DL Draper, DB Christianson, KL Komissarchik - US Patent 6,581,062, 2003 - Google Patents  
... The stor -age requirements, eg, the **schema** or nature ... as first name, last name,  
**address**,  
telephone number, and ... Scotland (1999), discusses using XML docu -ment ...  
[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[doc] [A Multi-Agent System to Support Exploiting an XML-based Corporate Memory - group of 2 »](#)

F Gandon, R Dieng, O Corby, A Giboin - Proceedings PAKM'00, Basel, 2000 - www-2.cs.cmu.edu  
... <!ATTLIST **address** country CDATA ... An RDF annotation using the **schema** : ...  
developed for  
CORESE [Cor00] to enable agents to handle and infer on a XML-based corporate ...  
[Cited by 38](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)


[Browsing and editing XML schema documents with an interactive editor - group of 2 »](#)

M Sifer, Y Peres, Y Maarek - Proceedings of DNIS 2003, LNCS, 2003 - Springer  
... person } person = ?contact-info + **address** + job-info ... info = { [ home-**phone** |  
mobile-**phone** | email ] } ... Document Type Definitions), XML Schema, Relax, Schematron ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[CLP \(Flex\): Constraint Logic Programming Applied to XML Processing - group of 9 »](#)

J Coelho, M Florido - On the Move to Meaningful Internet Systems, 2004 - Springer  
... rise to a new CLP(Flex) term and then to the new document "addressbook2.xml". This  
last file contains the **address** records without the **phone** tag. ...  
[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[CrossRef Search](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

You requested this document:

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**1. Interactive migration of legacy databases to net-centric technologies**

Bychkov, Y.; Jahnke, J.H.;  
Reverse Engineering, 2001. Proceedings. Eighth Working Conference on  
2-5 Oct. 2001 Page(s):328 - 334

**Abstract:**

Due to the rapid growth of e-commerce (and other Internet-related technologies), many to migrate their information systems to the net-centric environment. We are proposing a (Varlet/Babel) that helps the user to achieve this goal. This is accomplished in two stages: in the first stage, a database schema is obtained and refined, then an XML description for the data is generated and used to wrap access to the information system. In this paper, we focus on the second stage and describe the methods that are used to create a mapping between the general and specific a standard (interchange) schema and to make a second wrapper around the information system.

[Abstract](#) | [Full Text: PDF\(648 KB\)](#) [IEEE CNF](#)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE - All rights reserved.



[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

schema convert display

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 972,000 for **schema convert display**. (0.28 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

### Learn Convert to XML

How to use Stylus Studio's Adapter URL technologies to **convert** EDI to XML and back again. Converting an EDI data model to XML **Schema** with the EDIFACT to XML ...[www.stylusstudio.com/learn\\_convert\\_to\\_xml.html](http://www.stylusstudio.com/learn_convert_to_xml.html) - 23k - Mar 3, 2007 -[Cached](#) - [Similar pages](#)

### The Convert to XML Editor

The **schema** pane shows a representation of the XML **Schema** that will be output for the converted file. This section describes the main features of the **Convert** ...[www.stylusstudio.com/docs/v62/d\\_flatfileconversion4.html](http://www.stylusstudio.com/docs/v62/d_flatfileconversion4.html) - 57k - [Cached](#) - [Similar pages](#)

### Convert database tables into XML and Schema in 12 lines - ASP.NET ...

NET file successfully **convert** a table from an Access database into a DataSet and then write this information about ... Read in table, **display** as XML/Schema ...[www.tanguay.info/web/codeExample.php5?id=316](http://www.tanguay.info/web/codeExample.php5?id=316) - 104k - [Cached](#) - [Similar pages](#)

### Read in table, display as XML/Schema - ASP.NET 2.0 Code Example

**Convert** database tables into XML and **Schema** in 12 lines · How to **display** nested tables within a DataSet · How to bind an Access database table to list ...[www.tanguay.info/web/codeExample.php5?id=323](http://www.tanguay.info/web/codeExample.php5?id=323) - 105k - [Cached](#) - [Similar pages](#)

### conglomerate : Plugins

**Convert** DTD into a Conglomerate **Display** Specification ... **Convert** DTD into a Relax NG **schema**. Import a DTD file, converting it into a RELAX NG **Schema**. ...[www.conglomerate.org/plugins.html](http://www.conglomerate.org/plugins.html) - 13k - [Cached](#) - [Similar pages](#)

### Altova : XMLSpy DTD/Schema FAQ

When I **convert** a DTD to a **Schema** or vice versa, the resulting document is ... As of XMLSpy® 2007 it is possible to **display** attributes in the **Schema** Design ...[www.altova.com/support\\_faqs\\_ide\\_schema.html](http://www.altova.com/support_faqs_ide_schema.html) - 33k - [Cached](#) - [Similar pages](#)

### Altova XMLSpy XML Schema Editor

Generate Schemas from XML Documents or SQL Databases, **convert** existing DTD's, ... You can return to the global view at any time by clicking the **Display** ...[www.altova.com/products/xmlspy/graphical\\_xml\\_schema\\_editor.html](http://www.altova.com/products/xmlspy/graphical_xml_schema_editor.html) - 38k -[Cached](#) - [Similar pages](#)

### sqldef.pl - Convert RDBMS schema to mSQL DDL - search.cpan.org

sqldef.pl - **Convert** RDBMS **schema** to mSQL DDL ... non-zero to **display** this column in query results. link. name of column to use as label of link ...[search.cpan.org/~bjeps/RDBMS.pm-0.93/bin/sqldef.pl](http://search.cpan.org/~bjeps/RDBMS.pm-0.93/bin/sqldef.pl) - 9k - [Cached](#) - [Similar pages](#)

### XML Editor XSD schema XML editing validation software XMLFox XSD ...

Now by using XMLFox Advance you can easily **convert** whole "utf-8" encoded XML to ...The XMLFox Advance Filter interface helps you to **display** only those ...[xmlfox.com/xml\\_editor.htm](http://xmlfox.com/xml_editor.htm) - 19k - [Cached](#) - [Similar pages](#)

### convert excel xml xls xml csv XML Converter - ODBC to XML, Oracle ...

TransX tags **Schema** How to **convert** relational data loaded into your data source ... an XML document tree into a formatted tree we can **display** in the browser. ...  
rustemsoft.com/XMLConverter.htm - 12k - [Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



xml schema address convert OR conversion

2000

- 2004

Search

Ad  
Sc  
Sc

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 3,010 for [xml schema address convert OR cor](#)

**All Results**[P Biron](#)[A Malhotra](#)[S Abiteboul](#)[A Schmidt](#)[M Carey](#)**[XML Schema Part 2: Datatypes - group of 4 »](#)**

PV Biron, A Malhotra - W3C Recommendation, 2001 - courses.ced.tuc.gr

... information: a date, telephone number, email **address** and an ... In many cases,**conversion**from locale-dependent representations will ... **XML Schema Part 2: Datatypes** ...[Cited by 370](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[XMark: A Benchmark for XML Data Management - group of 21 »](#)**

A Schmidt, F Waas, ML Kersten, MJ Carey, I ... - Proceedings of the International Conference on Very Large ..., 2002 - doc.freeband.nl

... name, email **address**, phone num- ber, mail **address**, homepage URL ... In the **XML** world,UDFs are of particular importance ... Due to the lack of a **schema**, SORTBY clauses ...[Cited by 203](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[Semantic Data Modeling using XML Schemas - group of 8 »](#)**

M Mani, D Lee, RR Muntz - Int'l Conf. on Conceptual Modeling (ER), Yokohama, Japan, ..., 2001 - Springer

... 4, we show how to **convert** an XGrammar to EER ... that (a) proposals such as DTD and **XML-Schema** are closed ... Unlike ER model, in general, **XML** model has two different ...[Cited by 46](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[Unifying tables, objects and documents - group of 8 »](#)**

E Meijer, W Schulte - Workshop on Declarative Programming in the Context of Object ..., 2003 - elearning4gurus.com

... classes. We can define an **Address** instance simply by writing an **XML** document that confirms to the **schema** for **Address**: **Address** ...[Cited by 35](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[Mapping between ASN. 1 and XML - group of 5 »](#)**

T Imamura, H Maruyama - Proceedings of the 2001 Symposium on Applications and the ..., 2001 - doi.ieeecomputersociety.org

... Section 5 discusses still existing issues and tries to **address** them. ... First of all, we should consider rules to **convert** ASN.1 abstract syntax ... Using **XML Schema** ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#)**[A common open representation of mass spectrometry data and its application to proteomics research - group of 9 »](#)**

PGA Pedrioli, JK Eng, R Hubley, M Vogelzang, EW ... - Nature Biotechnology, 2004 - nature.com

... A typical **XML** reader implementation would have to read the first ... (b) Overview of the mz**XML schema** version 2.0 ... the mz**XML** format, we have tried to **address** some of ...[Cited by 74](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[A Generic Load/Extract Utility for Data Transfer Between XML Documents and Relational Databases - group of 10 »](#)**

R Bourret, C Bornhovd, A Buchmann - Proc. Second International Workshop on Advanced




Issues of E- ..., 2000 - doi.ieeecs.org  
 ... XML DTD and the relational **schema** to exist ... which use the sample XML documents shown ...  
 ContractData ContractNumber Lessee LesseeOrder **Address** AddressOrder Lessor ...  
 Cited by 70 - [Related Articles](#) - [Web Search](#)

GovML: A Markup Language for Describing Public Services and Life Events - group of 3 »  
 G Kavadias, E Tambouris - Knowledge Management in e-Government, Proceedings KMGov, 2003 - Springer  
 ... This data **conversion** can become a significant overhead to the Information ... code 23 automation-level 24 public-authority-address 25 state ... 5.1 XML Schema of GovML ...  
 Cited by 13 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

book XML Data Management: Native XML and XML-enabled Database Systems - group of 2 »  
 AB Chaudhri, A Rashid, R Zicari - 2003 - books.google.com  
 ... 12.4.4 **Conversion** of Image Data into XML ... LAX 2YZ</postcode>  
 <country>UK</country>  
 </address> </person> ... Similarly, the XML schema language used to describe the ...  
 Cited by 58 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Development of SNMP-XML translator and gateway for XML-based integrated network management - group of 3 »  
 JH Yoon, HT Ju, JW Hong - Int. J. Network Mgmt, 2003 - doi.wiley.com  
 ... If we **convert** the simple example shown in Model-level ... Table 3 shows XML Schema definitions translated from SMIv1 ... defined with the range of IP address, [0-255 ...  
 Cited by 22 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

Microsoft's evolution, in keywords

... milestone momentum multiple **mywallet** notifications notified okay partners passport pda preferences priority protocol relate rich scenarios **schema** server ...  
blog.seattlepi.nwsourc.com/microsoft/tags/ - 302k - [Cached](#) - [Similar pages](#)

Did you mean to search for: **my wallet** schema

Result Page:    1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)


Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

mywallet schema

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about **552** for **mywallet schema**. (0.25 seconds)Did you mean: [my wallet schema](#)**Schema-based service for identity-based data access to financial ...**For example, in the case of the **myWallet** service 315, the content document presents data in the shape dictated by the .NET My Services **MyWallet schema**, ...[www.freepatentsonline.com/20040199869.html](http://www.freepatentsonline.com/20040199869.html) - 120k - [Cached](#) - [Similar pages](#)**SCHEMA-BASED SERVICES FOR IDENTITY-BASED DATA ACCESS - Patent ...**To this end, the **myWallet** service uses an XML **schema** to describe payment instruments in a user's wallet and the methods by which a payment instrument is ...[www.freepatentsonline.com/EP1370991.html](http://www.freepatentsonline.com/EP1370991.html) - 989k - [Cached](#) - [Similar pages](#)**Schema for .NET Wallet service. Copyright (c) 2001 Microsoft ...**Valid values are defined in the enumeration list in the **schema**. ... Applications can use the values defined in **myWallet** system document, networkBrand. ...[schemas.microsoft.com/hs/2001/10/myWallet.xsd](http://schemas.microsoft.com/hs/2001/10/myWallet.xsd) - 18k - [Cached](#) - [Similar pages](#)**OpenP2P.com -- Hailstorm: Open Web Services Controlled by Microsoft**... credit card as a part of **myWallet**, alongside their personal credit card, ... Second, you cannot use a non-Microsoft copyrighted **schema** to broker ...[www.openp2p.com/pub/a/p2p/2001/05/30/hailstorm.html?page=3](http://www.openp2p.com/pub/a/p2p/2001/05/30/hailstorm.html?page=3) - 51k -[Cached](#) - [Similar pages](#)**Pocket Loox Choice: Software für Ihren Pocket Loox- [ Translate this page ]**Mobile2Day **myWallet** ist eine extrem sichere Passwort- und ... können jetzt nur noch ein **Schema** enthalten und müssen gleich mit dem XML-Element beginnen. ...[www.pocketloox-choice.de/product.php?cat=2&pid=53861](http://www.pocketloox-choice.de/product.php?cat=2&pid=53861) - 55k - [Cached](#) - [Similar pages](#)**[PDF] Microsoft PowerPoint - Folien6.htm**File Format: PDF/Adobe Acrobat - [View as HTML](#)Standards change – XML **Schema** 4 Drafts before standardized 5/01 ... **myWallet** - receipts, payment instruments and other transaction records ...[w3.msi.vxu.se/~wlo/files/SoftwareFromComponentsWT02/Folien6.pdf](http://w3.msi.vxu.se/~wlo/files/SoftwareFromComponentsWT02/Folien6.pdf) - [Similar pages](#)**Cover Pages: Microsoft Hailstorm**... URLs and other Web identifiers; **myWallet**: receipts, payment instruments, ... The work we're announcing today is a rather large **schema** that relates to ...[xml.coverpages.org/hailstorm.html](http://xml.coverpages.org/hailstorm.html) - 47k - [Cached](#) - [Similar pages](#)**Anton Nielsen : Oracle, 10g, 10gAS, Application Express (Apex), C2 ...**SSLWallet file:/home/oracle/**myWallet**/ SSLWalletPassword mySuperPW1 ... So really, the length of the queue name plus the length of the **schema** must be <= 25. ...[c2anton.blogspot.com/search?updated-min=2006-01-01T00%3A00%3A00-08%](http://c2anton.blogspot.com/search?updated-min=2006-01-01T00%3A00%3A00-08%3A00&updated-max=2007-01-01T00%3A00%3A00)[3A00&updated-max=2007-01-01T00%3A00%3A00](http://c2anton.blogspot.com/search?updated-min=2006-01-01T00%3A00%3A00-08%3A00&updated-max=2007-01-01T00%3A00%3A00)... - 104k - [Cached](#) - [Similar pages](#)**Anton Nielsen : Oracle, 10g, 10gAS, Application Express (Apex), C2 ...**I recently tried to user SQL Developer with a **schema** and found that I ... d. create a new wallet and save in a new directory (e.g. /home/oracle/**myWallet**) ...[c2anton.blogspot.com/](http://c2anton.blogspot.com/) - 124k - [Cached](#) - [Similar pages](#)



## Visual DataFlex and XML

A Data Access Worldwide White Paper  
by Chris Hibbert

November 2000

Last Edited: January 18, 2001

### Overview

This article deals with specific points of Windows and Internet technology from a "What can this do for me" point of view in the context of using Visual DataFlex Version 7.

This article examines the usage of Extensible Markup Language (XML) data files with Visual DataFlex. We start with an initial high level view of what XML offers, and how Visual DataFlex makes using it a simple process. For those with a more technical interest, a little more in-depth illustration of examples of XML files follows, and of program code to put them to use. These are not tutorial material, being intended as "overview examples" for those seeking a general familiarization with the topic, and its potential, the primary purpose of the article. No detailed knowledge of HTML or XML is assumed.

### Contents

[Introduction](#)

[What is XML?](#)

[DTDs, Schemas and Formatting](#)

[XML is not limited to your PC](#)

[Representing XML Documents as Tree Structures](#)

[Using XML in developing Applications](#)